

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2109	716/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:56 <del>2005/06/29 09:04</del>
S2	1653	716/5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:56
S3	1202	703/14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:56
S4	0	(716/4).ccls. and (simulation adj configuration\$2) and (recognition) and (server same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:59
S5	0	(716/5).ccls. and (simulation adj configuration\$2) and (recognition) and (server same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:59
S6	0	("716"/\$).ccls. and (simulation adj configuration\$2) and (recognition) and (server same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 11:59
S7	1	(703/14).ccls. and (simulation adj configuration\$2) and (recognition) and (server same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:00
S8	1	(simulation adj configuration\$2) and (recognition) and (server same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:00
S9	19	(simulation adj configuration\$2) and (recognition) and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:04
S10	2	((simulation adj configuration\$2) same (recognition)) and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:04

S11	4	((simulation same configuration\$2) same (recognition)) and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:11
S12	1	((simulation same configuration\$2) same (recognition)) and (server adj manager) and (client adj manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:12
S13	22	(recognition) and (simulation adj configuration\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 08:05
S14	2	(recognition) same (simulation adj configuration\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 08:06
S15	821	(simulation same configuration) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 10:45
S16	206	(simulation same configuration) same (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 10:45
S17	8	(simulation same configuration) same (server) and (initialization same (simulat\$ adj program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:27
S18	1	(simulation same configuration) same (server same (client adj manager)) and (initialization same (simulat\$ adj program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:37
S19	1	(simulation same configuration) same (server same (client adj manager)) and (simulat\$ adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:38
S20	1	(simulation same configuration) same (server same (client adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:38

S21	4	(simulation same configuration) and (server same (client adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:04
S22	2	(simulation same configuration) and (server same (user adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:05
S23	37098	(server same (client or user) same response\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:11
S24	6	(server same (client or user) same response\$) same (instance adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:11
S25	3	(configuration adj model) same (storage same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:23
S26	1	(configuration adj model) and (simulation adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:25
S27	57	(configuration) same (simulation adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:25
S28	0	(configuration) same adapt same (simulation adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:26
S29	20	((configuration) same (simulation adj test)) and adapt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:28
S30	0	((configuration) same ( modify4 adj (simulation adj test))) and adapt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:28

S31	0	((configuration) same ( modify4 adj (simulation adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:29
S32	0	((configuration) same ( modify4 same (simulation adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:29
S33	5	((configuration) same ( modif\$ same (simulation adj test)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:29
S34	2	(global adj (simulation adj model)) same (HLL same instances)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:37
S35	2	(global adj (simulation adj model)) same (HLL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:55
S36	2	(simulation adj model) same (HLL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:13
S37	1	(available same (simulation adj configuration)) and (server same manager) and (instance adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:18